

## Material Safety Data Sheet

### g-Pet PLUS Veterinary Blood Glucose Control Solution

#### Identification

**Product Name:** g-Pet PLUS Veterinary Blood Glucose Control Solution

**Instrument Type:** g-Pet PLUS Veterinary Glucose Meter

**Manufacturer:** Woodley Equipment Company Ltd.

Old Station Park Buildings, St. John Street, Horwich, Bolton, BL6 7NY, UK

Tel: +44 (0) 1204 669033

Email: sales@woodleyequipment.com

#### Hazardous Components

This product does not contain any hazardous components or carcinogens. g-Pet PLUS Veterinary Blood Glucose Control Solution do not contain tissues of animal origin, human origin or substances derived from such tissue.

| Components              | CAS Number | Weight % | OSHA PEL | OSHA STEL | ACGIH TLV | ACGIH STEL |
|-------------------------|------------|----------|----------|-----------|-----------|------------|
| No hazardous components | NONE       | N/A      | N/A      | N/A       | N/A       | N/A        |
| No carcinogens          |            |          |          |           |           |            |

| Emergency Overview   |
|--|
| <b>NFPA Ratings:</b> Health=0 Flammability=0 Reactivity=0  |
| <b>Special Definitions:</b> A=Allergen CA=Carcinogen CO=Corrosive F=Flammable<br>H=Harmful I=Irritant Ox=Oxidiser PB=Potential Biohazard R=Reproductive<br>S=Sensitiser T=Toxic T+=Highly Toxic W=Water Reactive |

#### Physical Data

**Boiling Point (°C):** N/A

**Vapour Pressure (mmHg):** N/A

**Vapour Density (Air=1):** N/A

**Solubility in Water:** Soluble

**Specific Gravity (Water=1):** N/A

**Percent Volatile by Volume:** N/A

**Evaporation Rate:** N/A

**Appearance and Odour:** N/A

## Health Hazard Data

### Eye

Effect: Irritation may occur.

First Aid: Flush with plenty of water with the eyelid held wide open for at least 15 minutes. Seek medical attention if pain or irritation occurs.

Protection: None required for normal conditions of use.

### Skin

Effect: May cause minor irritation.

First Aid: Flush with water for at least 15 minutes. Seek medical attention if pain or irritation occurs.

Protection: None required for normal conditions of use.

### Inhalation

Effect: May cause difficulty breathing.

First Aid: Move to an environment with fresh air, use oxygen if breathing becomes difficult.  
If breathing stops, administer artificial respiration. Seek medical attention if required.

Protection: None required for normal conditions of use.

### Ingestion

Effect: Mild irritant.

First Aid: Drink plenty of water. Seek medical attention if feeling ill.

Protection: None required for normal conditions of use.

## Reactivity Data

**Stability:** Product is stable under normal handling and storage conditions.

**Incompatibility (Materials to Avoid):** N/A

**Hazardous Decomposition Products:** N/A

**Conditions to Avoid:** Excessive heat or cold, direct light, high humidity.

## Fire and Explosion Hazard Data

**Flash Point:** N/A

**Flammability Limits:** N/A

**Extinguishing Media:** Use media specific for site conditions.

**Special Fire Fighting Procedures:** N/A

**Unusual Fire Hazards:** N/A

## Transport Information

**Non Hazardous for Transport:** This substance is considered to be non-hazardous for transport.

## Spill or Leak Procedures

**For Spills or Leaks:** Review the "Health Hazard Data". Clean up the spill and place in a suitable container. Seal, label and hold for disposal. Upon completion, flush spill area with large amounts of water.

**Waste Disposal:** Dispose of waste in accordance with local, state and federal regulations.

To the best of our knowledge, the information provided in this material safety data sheet is accurate but does not purport to be all inclusive. It is intended to provide a general guidance in terms of safe handling, storage and disposal of materials. It is the user's obligation to evaluate and use this product safely. Woodley Equipment Company thus assumes no liabilities for any damage or loss resulting from handling or from contact with this product. Contact Woodley Equipment Company if additional information is needed.

**Date:** 22/11/2018